

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Centric™ Magnasplit™ 1

Product no.

-

REACH registration number

Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

SU2a - Mining (without offshore industries)

Uses advised against

-

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address

Orica UK Limited	Dexploc A/S
101 Dalton Avenue	Smedeland 7
Birchwood Park	DK – 2600 Glostrup
Warrington	Denmark
CHESHIRE WA3 6YF	
United Kingdom	
Tel. +44 1257 256100	+ 45 43 45 15 38

Contact person

sds.emea@orica.com / info@dexploc.com

E-mail

sds.emea@orica.com / info@dexploc.com

SDS date

2017-11-02 / 01-05-2021

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 “First aid measures”.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Expl. 1.1; H201
Acute Tox.; H300
Acute Tox. 3; H311 + H331
Eye Irrit. 2; H319
STOT RE 2; H373

See full text of H-phrases in section 16.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

Explosive; mass explosion hazard. (H201)

Safety statement(s)

General

Prevention

-

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210).

Do not subject to grinding/shock/friction. (P250).

Wear protective gloves/protective clothing/eye protection/face protection. (P280).

Response

Explosion risk in case of fire. (P372).

DO NOT fight fire when fire reaches explosives. (P373).

In case of fire: Evacuate area. (P370+P380).

Storage

Disposal

-

-

Identity of the substances primarily responsible for the major health hazards

Ethylene dinitrate

2.3. Other hazards

-

Additional labelling

-

Additional warnings

-

VOC

-

SECTION 3: Composition/information on ingredients**3.1/3.2. Substances/Mixtures**

NAME: Ammonium nitrate
IDENTIFICATION NOS.: CAS-no: 6484-52-2 EC-no: 229-347-8 REACH-no: 01-2119490981-27
CONTENT: 80-95%
CLP CLASSIFICATION: Ox. Liq. 3, Eye Irrit. 2
H272, H319

NAME: Ethylene dinitrate
IDENTIFICATION NOS.: CAS-no: 628-96-6 EC-no: 211-063-0 REACH-no: 01-2119492860-31 Index-no: 603-032-00-9
CONTENT: 10 - <15%
CLP CLASSIFICATION: Unst. Expl., Acute Tox. 2, Acute Tox. 1, STOT RE 2
H200, H300, H310, H330, H373

(*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

ATEmix(inhale, vapour) = 3,336 - 5,004
ATEmix(Dermal) = 333,336 - 500,004
ATEmix(oral) = 33,336 - <= 50
Eye Cat. 2 Sum = Sum(Ci/S(G)CLi) = > 1 - 1,2144

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service (dial 111, 24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept

still. If breathing is irregular or stopped, administer artificial respiration.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with soap and water. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Remove contact lenses and open eyes widely. Flush eyes with water or saline water (20-30°C) for at least 15 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately and bring the safety data sheet or label. If the person is conscious, give them water. DO NOT try to induce vomiting, unless this is recommended by a doctor. Hold head facing down to prevent vomit returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Rinse with water until the pain stops then continue to rinse for a further 30 minutes.

4.2. Most important symptoms and effects, both acute and delayed

Headache, Methaemoglobinaemia.

4.3. Indication of any immediate medical attention and special treatment needed

Nothing special

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

DO NOT attempt firefighting, risk of explosion.

5.2. Special hazards arising from the substance or mixture

The product is an explosive. In case of fire, the following products may be liberated: Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂), Ammonia (NH₃).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Restrict the number of action force members in the hazard area. Do not inhale explosion and combustion gases. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Measures in case of adjacent fire (Fire has not yet reached product): Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

Measures in case of product fire (Fire has just reached the product or is about to reach it): No fire-fighting attempts, risk of explosion. Immediately evacuate danger zone and seek safe cover.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Avoid contact with the substance. Wear suitable protective equipment before handling. Follow emergency procedures. Evacuate the danger area and notify your supervisor. Ask for assistance from a competent person.

For emergency responders: Close off the hazard area. Ask for assistance from a competent person.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Use only non-sparking tools. Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Only to be handled by authorised persons. The explosives must be under supervision and kept away from unauthorised persons. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not subject to grinding, shock, friction. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed outside of the workplace. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Store in original packaging if possible. Explosives and explosive articles should be stored in accordance with the licence issued by the relevant national authority. Store under cool conditions. Store under dry conditions. Stable under normal storage conditions. Maximum storage quantity should be agreed with national authorities. Store in a well-ventilated place. Store in a closed container.

Storage temperature

0-50°C

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

Ammonia, anhydrous

Long-term exposure limit (8-hour TWA reference period): 25 ppm | 18 mg/m³

Short-term exposure limit (15-minute reference period): 35 ppm | 25 mg/m³

Nitrogen monoxide

Long-term exposure limit (8-hour TWA reference period): 25 ppm | 31 mg/m³

Short-term exposure limit (15-minute reference period): 35 ppm | 44 mg/m³

Carbon monoxide

Long-term exposure limit (8-hour TWA reference period): 30 ppm | 35 mg/m³

Short-term exposure limit (15-minute reference period): 200 ppm | 232 mg/m³

Carbon dioxide

Long-term exposure limit (8-hour TWA reference period): 5000 ppm | 9150 mg/m³

Short-term exposure limit (15-minute reference period): 15000 ppm | 27400 mg/m³

DNEL / PNEC

DNEL (Ammonium nitrate): 21.3 mg/kg bw/d

Exposure: Dermal

Duration of Exposure: Long term – Systemic effects - Workers

DNEL (Ammonium nitrate): 37.6 mg/m³

Exposure: Inhalation

Duration of Exposure: Long term – Systemic effects - Workers

DNEL (Ethylene dinitrate): 0.085 mg/m³

Exposure: Inhalation

Duration of Exposure: Long term

PNEC (Ammonium nitrate): 0.45 mg/l

Exposure: Freshwater

PNEC (Ammonium nitrate): 0.045 mg/l

Exposure: Marine water

PNEC (Ammonium nitrate): 4.5 mg/l

Exposure: Intermittent release

PNEC (Ammonium nitrate): 18 mg/l

Exposure: Sewage Treatment Plant

PNEC (Ethylene dinitrate): 3 µg/l

Exposure: Freshwater

PNEC (Ethylene dinitrate): 0.3 µg/l

Exposure: Marine water

PNEC (Ethylene dinitrate): 19 µg/l

Exposure: Intermittent release

PNEC (Ethylene dinitrate): 1.3 mg/l

Exposure: Sewage Treatment Plant

PNEC (Ethylene dinitrate): 4 µg/kg dw

Exposure: Freshwater sediment

PNEC (Ethylene dinitrate): 0.4 µg/kg dw

Exposure: Marine water sediment

PNEC (Ethylene dinitrate): 2.5 µg/kg dw

Exposure: Soil

8.2. Exposure controls

Compliance with the accepted occupational exposure limits values should be controlled on a regular basis.

General recommendations

Observe general occupational hygiene standards.

Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of an exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Excessive exposure of ammonium nitrate can lead to an over-fertilization of soil and waters, therefore careful handling of the product is mandatory.

Individual protection measures, such as personal protective equipment



Generally

Use only CE marked protective equipment.

Respiratory Equipment

If ventilation at the work place is insufficient, use a half- or full mask with an appropriate filter or an air-supplied breathing apparatus depending on the specific work situation and how long you will be using the product.

Skin protection

Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product.

Hand protection

Suitable material: NBR (nitrile rubber), EN 388.

Eye protection

Eye glasses with side protection, EN 166.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	Gel
Colour	No data available.
Odour	Sharp/pungent
Odour threshold (ppm)	No data available.
pH	No data available.
Viscosity (40°C)	No data available.
Density (g/cm ³)	1.0 (20°C)
Phase changes	
Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.
Decomposition temperature (°C)	No data available.
Evaporation rate (n-butylacetate = 100)	No data available.
Data on fire and explosion hazards	
Flash point (°C)	No data available.
Ignition (°C)	No data available.
Auto flammability (°C)	No data available.

According to EC-Regulation 2015/830

Explosion limits (% v/v)	No data available.
Explosive properties	Explosive
Oxidising properties	Oxidising properties.
Solubility	
Solubility in water	No data available.
n-octanol/water coefficient	No data available.
9.2. Other information	
Solubility in fat (g/L)	No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Product is an explosive.

10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

10.3. Possibility of hazardous reactions

Risk of explosion by shock, friction, fire or other sources of ignition.

10.4. Conditions to avoid

Avoid static electricity.

Mechanical influences (e.g. shock, pressure, impact, friction). Fire, sparks or other ignition sources.

10.5. Incompatible materials

Reducing agent, Acids, Alkalis, Combustible products, Metal powders, Chromates, Zinc, Copper, Copper alloys, Chlorates.

10.6. Hazardous decomposition products

Ammonia (NH₃), Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Substance	Species	Test	Route of exposure	Result
Ethylene dinitrate	Rat	LD50	Oral	616 mg/kg bw
Ethylene dinitrate	Rat	LD50	Dermal	3800 mg/kg bw
Ammonium nitrate	Rat	LD50	Oral	2950 mg/kg
Ammonium nitrate	Rat	LD50	Dermal	>5000 mg/kg

Skin corrosion/irritation

No data available.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available.

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

SECTION 12: Ecological information

12.1. Toxicity

Substance	Species	Test	Duration	Result
Ethylene dinitrate	Fish	LC50	96h	1.9 mg/l
Ethylene dinitrate	Fish	LOEC	96h	0.2 mg/l
Ethylene dinitrate	Daphnia	EC50	48h	>100 mg/l
Ethylene dinitrate	Daphnia	NOEC	48h	100 mg/l
Ethylene dinitrate	Algae	EC50	72h	100 mg/l
Ethylene dinitrate	Algae	LOEC	72h	32 mg/l
Ethylene dinitrate	Algae	NOEC	72h	10 mg/l
Ammonium nitrate	Fish	LC50	48h	447 mg/l
Ammonium nitrate	Daphnia	EC50	48h	490 mg/l
Ammonium nitrate	Algae	EC50	10d	1700 mg/l

12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
No data available.			

12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow	BCF
No data available.			

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Other adverse effects

Nothing special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

Burn under supervision of an expert at a government-approved explosive burning ground or destroy, by detonation in boreholes, in accordance with applicable local, provincial and federal laws.

Waste

EWC code
16 04 03* other waste explosives

Specific labelling

-

Contaminated packing

Contaminated packaging must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 – 14.4

This product is within scope of the regulations of transport of dangerous goods.

ADR/RID

14.1. UN number	0081
14.2. UN proper shipping name	EXPLOSIVE, BLASTING, TYPE A
14.3. Transport hazard class(es)	1.1D
14.4. Packing group	II
Notes	-
Tunnel restriction code	B1000C

IMDG

UN-no.	0081
Proper Shipping Name	EXPLOSIVE, BLASTING, TYPE A
Class	1.1D
PG*	II
EmS	F-B, S-X

According to EC-Regulation 2015/830

MP**	No
Hazardous constituent	-
IATA/CAO	
UN-no.	0081
Proper Shipping Name	EXPLOSIVE, BLASTING, TYPE A
Class	1.1D
PG*	II

14.5. Environmental hazards

-

14.6. Special precautions for user

Product is an explosive.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

(*) Packing group

(**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Industrial use only.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education

-

Additional information

-

Sources

Council Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding.

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677. The Stationery Office, 2002.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).

EC regulation 1907/2006 (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H200 - Unstable explosives.

H272 - May intensify fire; oxidiser.

H300 - Fatal if swallowed.

H310 - Fatal in contact with skin.

H319 - Causes serious eye irritation.

H330 - Fatal if inhaled.

H373 - May cause damage to organs through prolonged or repeated exposure^a.

The full text of identified uses as mentioned in section 1

-

Additional label elements

-

Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of physical hazards has been based on experimental data.

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The safety data sheet is validated by

Thomas Lagerström

Date of last essential change (First cipher in SDS version)

-

Date of last minor change (Last cipher in SDS version)

-

© 2017 Orica Group. All rights reserved. All information contained in this document is provided for informational purposes only and is subject to change without notice. Since the Orica Group cannot anticipate or control the conditions under which this information and its products may be used, each user should review the information in the specific context of the intended application. To the maximum extent permitted by law, the Orica Group specifically disclaims all warranties express or implied in law, including accuracy, non infringement, and implied warranties of merchantability or fitness for a particular purpose. The Orica Group specifically disclaims, and will not be responsible for, any liability or damages resulting from the use or reliance upon the information in this document. The word Orica and the Ring device are trademarks of the Orica Group.

ALPHAOMEGA. Licens nr.:3230182585, 6.3.0
www.chymeia.com