

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### **Trade name**

Pentex 25FF

Product no.

-

# **REACH registration number**

Not applicable

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture

SU2a - Mining (without offshore industries)

**Uses advised against** 

-

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

# **Company and address**

Orica UK Limited Dexploc A/S
101 Dalton Avenue Smedeland 7
Birchwood Park DK – 2600 Glostrup

Warrington Denmark

CHESHIRE WA3 6YF

United Kingdom

Tel. +44 1257 256100 + 45 43 45 15 38

### **Contact person**

sds.emea@orica.com / info@dexploc.com

# E-mail

sds.emea@orica.com / info@dexploc.com

# **SDS** date

2017-11-02 / 01-05-2021

### **SDS Version**

1.0

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Expl. 1.1; H201 Acute Tox. 4; H302 STOT SE 2; H371

See full text of H-phrases in section 16.

### 2.2. Label elements

### **Hazard pictogram(s)**





#### **Hazard statement(s)**

Explosive; mass explosion hazard. (H201)

Safety statement(s)

General -

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking. (P210).

Wear protective gloves/protective clothing/eye protection/face protection. (P280).

Keep only in original packaging. (P234).

Do not subject to grinding/shock/friction. (P250).

Response In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches

explosives. (P370+P372+P380+P373).

Storage - Disposal -

Identity of the substances primarily responsible for the major health hazards

RDX, Ethylene dinitrate, .

2.3. Other hazards

Not applicable

**Additional labelling** 

Not applicable

**Additional warnings** 

Not applicable

VOC

Not applicable

# **SECTION 3: Composition/information on ingredients**

### 3.1/3.2. Substances/Mixtures

NAME: PETN

IDENTIFICATION NOS.: CAS-no: 78-11-5 EC-no: 201-084-3 REACH-no: 01-2119557827-23 Index-no: 603-035-00-5

CONTENT: 40-60% CLP CLASSIFICATION: Unst. Expl.

H200

NAME: Distillates (petroleum), hydrotreated heavy naphthenic

IDENTIFICATION NOS.: CAS-no: 64742-52-5 ÉC-no: 265-155-0 RÉACH-no: 01-2119467170-45

CONTENT: 15 - <25% CLP CLASSIFICATION: NA

NAME: RDX

IDENTIFICATION NOS.: CAS-no: 121-82-4 EC-no: 204-500-1 REACH-no: 01-2119990795-17

CONTENT: 5 - <10%

CLP CLASSIFICATION: Expl. 1.1, Acute Tox. 3, STOT SE 1, STOT RE 2

H201, H301, H370, H373

NAME: Ethylene dinitrate

IDENTIFICATION NOS.: CAŚ-no: 628-96-6 EC-no: 211-063-0 REACH-no: 01-2119492860-31 Index-no: 603-032-00-9

CONTENT: 0.1 - <0.25%

CLP CLASSIFICATION: Unst. Expl., Acute Tox. 2, Acute Tox. 1, STOT RE 2

H200, H300, H310, H330, H373

(\*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

ATEmix(inhale, vapour) > 20 ATEmix(dermal) > 2000 ATEmix(oral) = 714,288 - 1071,432

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

**General information** 



In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service (dial 111, 24 h service).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### **Inhalation**

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. If breathing is irregular or stopped, administer artificial respiration.

#### **Skin contact**

Immediately remove contaminated clothing and shoes. Ensure that skin, which has been exposed to the material, is washed thoroughly with soap and water. Skin cleanser can be used. DO NOT use solvents or thinners.

### **Eye contact**

Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 15 minutes. Seek medical assistance and continue flushing during transport.

#### Ingestion

In the case of ingestion, contact a doctor immediately and bring the safety data sheet or label. If the person is conscious, give them water. DO NOT try to induce vomiting, unless this is recommended by a doctor. Hold head facing down to prevent vomit returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

#### **Burns**

Rinse with water until the pain stops then continue to rinse for a further 30 minutes.

### 4.2. Most important symptoms and effects, both acute and delayed

Nothing special

# 4.3. Indication of any immediate medical attention and special treatment needed

Nothing special

### Information to medics

Bring this safety data sheet.

#### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

DO NOT attempt firefighting, risk of explosion.

# 5.2. Special hazards arising from the substance or mixture

The product is an explosive. In case of fire, the following products may be liberated: Nitrogen oxides  $(NO_x)$ , Carbon monoxide (CO), Carbon dioxide  $(CO_2)$ .

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Restrict the number of action force members in the hazard area. Do not inhale explosion and combustion gases. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Measures in case of adjacent fire (Fire has not yet reached product): Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

Measures in case of product fire (Fire has just reached the product or is about to reach it): No fire-fighting attempts, risk of explosion. Immediately evacuate danger zone and seek safe cover.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Avoid contact with the substance. Wear suitable protective equipment before handling. Follow emergency procedures. Evacuate the danger area and notify your supervisor. Ask for assistance from a competent person.

For emergency responders: Close off the hazard area. Ask for assistance from a competent person.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

# 6.3. Methods and material for containment and cleaning up



Minor spills are collected with a cloth. Collection and disposal of the material shall be done with minimum creation of dust. Sweep and collect. Shall be contained in suitable and tightly closed disposal containers. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Only to be handled by authorised persons. The explosives must be under supervision and kept away from unauthorised persons. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not subject to grinding, shock, friction. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed outside of the workplace. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in original packaging if possible. Explosives and explosive articles should be stored in accordance with the licence issued by the relevant national authority. Store under cool conditions. Store under dry conditions. Stable under normal storage conditions. Maximum storage quantity should be agreed with national authorities. Store in a well-ventilated place. Store in a closed container.

### Storage temperature

< 25°C

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### OEL

Nitrogen monoxide

Long-term exposure limit (8-hour TWA reference period): 25 ppm | 31 mg/m³ Short-term exposure limit (15-minute reference period): 35 ppm | 44 mg/m³

Carbon monoxide

Long-term exposure limit (8-hour TWA reference period): 30 ppm | 35 mg/m³ Short-term exposure limit (15-minute reference period): 200 ppm | 232 mg/m³

Carbon dioxide

Long-term exposure limit (8-hour TWA reference period): 5000 ppm | 9150 mg/m³ Short-term exposure limit (15-minute reference period): 15000 ppm | 27400 mg/m³

#### **DNEL / PNEC**

DNEL (PETN): 220.4 mg/m3

Exposure: Inhalation

Duration of Exposure: Long term - Systemic effects - Workers

DNEL (Ethylene dinitrate): 0.085 mg/m3

Exposure: Inhalation

Duration of Exposure: Long term

PNEC (PETN): 0.3 mg/l Exposure: Freshwater

PNEC (Ethylene dinitrate): 3 µg/l

Exposure: Freshwater

PNEC (Ethylene dinitrate):  $0.3 \,\mu\text{g/l}$ 

Exposure: Marine water

PNEC (Ethylene dinitrate): 19  $\mu$ g/l Exposure: Intermittent release

PNEC (Ethylene dinitrate): 1.3 mg/l Exposure: Sewage Treatment Plant

PNEC (Ethylene dinitrate): 4 µg/kg dw Exposure: Freshwater sediment



PNEC (Ethylene dinitrate): 0.4 µg/kg dw Exposure: Marine water sediment

PNEC (Ethylene dinitrate):  $2.5 \,\mu g/kg$  dw

Exposure: Soil

#### 8.2. Exposure controls

Compliance with the accepted occupational exposure limits values should be controlled on a regular basis.

#### **General recommendations**

Observe general occupational hygiene standards.

#### **Exposure scenarios**

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

### **Appropriate technical measures**

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of an exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

#### **Hygiene measures**

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure

Keep containment materials near the workplace. If possible, collect spillage during work.

# Individual protection measures, such as personal protective equipment



# Generally

Use only CE marked protective equipment.

### **Respiratory Equipment**

If ventilation at the work place is insufficient, use a half- or full mask with an appropriate filter or an airsupplied breathing apparatus depending on the specific work situation and how long you will be using the product.

## **Skin protection**

Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product.

#### **Hand protection**

Suitable material: NBR (nitrile rubber), EN 388.

#### **Eye protection**

Eye glasses with side protection, EN 166.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Form Solid Colour Orange Odour None

Odour threshold (ppm)

pH

No data available.

No data available.

Viscosity (40°C)

No data available.

Density (g/cm³) 1.40-1.50

Phase changes

Melting point (°C)

Boiling point (°C)

Vapour pressure

140

No data available.

No data available.

Decomposition temperature (°C) >140



Evaporation rate (n-butylacetate = 100)

Data on fire and explosion hazards

Flash point (°C)
Ignition (°C)
Auto flammability (°C)
Explosion limits (% v/v)

Explosive properties Oxidising properties

**Solubility** 

Solubility in water

n-octanol/water coefficient

9.2. Other information

Solubility in fat (g/L)

No data available.

No data available. No data available. No data available. No data available.

Explosive

No data available.

Insoluble

No data available.

No data available.

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Product is an explosive.

### 10.2. Chemical stability

Shelf life: 2 years.

The product is stable under the conditions, noted in the section "Handling and storage".

### 10.3. Possibility of hazardous reactions

Risk of explosion by shock, friction, fire or other sources of ignition.

#### 10.4. Conditions to avoid

Mechanical influences (e.g. shock, pressure, impact, friction). Fire, sparks or other ignition sources.

# 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### **Acute toxicity**

Substance: Ethylene dinitrate

Species: Rat Test: LD50

Route of exposure: Oral Result: 616 mg/kg bw

Substance: Ethylene dinitrate

Species: Rat Test: LD50

Route of exposure: Dermal Result: 3800 mg/kg bw

Substance: RDX Species: Rat Test: LD50

Route of exposure: Oral Result: 71 mg/kg

Substance: Distillates (petroleum), hydrotreated heavy naphthenic

Species: Rabbit Test: LD50

Route of exposure: Dermal Result: >2000 mg/kg

Substance: Distillates (petroleum), hydrotreated heavy naphthenic

Species: Rat Test: LD50

Route of exposure: Oral Result: >5000 mg/kg

Substance: Distillates (petroleum), hydrotreated heavy naphthenic



### According to EC-Regulation 2015/830

Species: Rat Test: LC50

Route of exposure: Inhalation

Result: >5.53 mg/l

Substance: PETN Species: Rat Test: LD50

Route of exposure: Oral Result: 2500 mg/kg

Skin corrosion/irritation

No data available.

Serious eye damage/irritation

No data available.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

**STOT-single exposure** 

May cause damage to organs.

**STOT-repeated exposure** 

No data available.

**Aspiration hazard** 

No data available.

Long term effects

Nothing special

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Substance: Ethylene dinitrate

Species: Fish Test: LC50 Duration: 96h Result: 1.9 mg/l

Substance: Ethylene dinitrate

Species: Fish Test: LOEC Duration: 96h Result: 0.2 mg/l

Substance: Ethylene dinitrate

Species: Daphnia Test: EC50 Duration: 48h Result: >100 mg/l

Substance: Ethylene dinitrate

Species: Daphnia Test: NOEC Duration: 48h Result: 100 mg/l

Substance: Ethylene dinitrate

Species: Algae Test: EC50 Duration: 72h Result: 100 mg/l

Substance: Ethylene dinitrate

Species: Algae Test: LOEC Duration: 72h Result: 32 mg/l



Substance: Ethylene dinitrate

Species: Algae Test: NOEC Duration: 72h Result: 10 mg/l

Substance: RDX Species: Fish Test: LC50 Duration: 96h Result: 11.1-15.0 mg/l

Substance: RDX Species: Daphnia Test: EC50 Duration: 48h Result: >17 mg/l

Substance: RDX Species: Fish Test: NOEC Duration: 28d Result: 1.4 mg/l

Substance: RDX Species: Algae Test: NOEC Duration: -Result: 0.5 mg/l

Substance: RDX Species: Daphnia Test: NOEC Duration: 7d Result: 3.64 mg/l

Substance: PETN Species: Fish Test: LC50 Duration: 96h Result: 926 mg/l

Substance: PETN Species: Daphnia Test: EC50 Duration: 48h Result: 292 mg/l

# 12.2. Persistence and degradability

Substance Biodegradability Test Result

No data available.

#### 12.3. Bioaccumulative potential

Substance Potential bioaccumulation LogPow BCF

RDX No 0,87 No data available PETN No 2,38 No data available

### 12.4. Mobility in soil

RDX: Log Koc= 0,767353, Calculated from LogPow (High mobility potential.). PETN: Log Koc= 1,963122, Calculated from LogPow (High mobility potential.).

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

#### 12.6. Other adverse effects

Nothing special

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Burn under supervision of an expert at a government-approved explosive burning ground or destroy, by detonation in boreholes, in accordance with applicable local, provincial and federal laws.



Product is covered by the regulations on hazardous waste.

**Waste** 

**EWC** code 16 04 03\*

other waste explosives

Specific labelling

# **Contaminated packing**

Contaminated packaging must be disposed of similarly to the product.

#### **SECTION 14: Transport information**

#### 14.1 - 14.4

This product is within scope of the regulations of transport of dangerous goods.

#### ADR/RID

14.1. UN number 14.2. UN proper shipping name **BOOSTERS** 14.3. Transport hazard 1.1D class(es) 14.4. Packing group Ш **Notes Tunnel restriction code** B1000C

#### **IMDG**

UN-no. 0042 **Proper Shipping Name BOOSTERS Class** 1.1D PG\* П F-B, S-X **EmS** MP\*\* No **Hazardous constituent** 

# IATA/ICAO

UN-no. 0042 **Proper Shipping Name BOOSTERS Class** 1.1D PG\* П

### 14.5. Environmental hazards

# 14.6. Special precautions for user

Product is an explosive.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

- (\*) Packing group
- (\*\*) Marine pollutant

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **Restrictions for application**

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

### **Demands for specific education**

### Additional information

Not applicable

#### Seveso



#### Seveso III Part 1: P1a

#### **Sources**

Council Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677. The Stationery Office, 2002.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP). EC regulation 1907/2006 (REACH).

The Control of Major Accident Hazards (COMAH) Regulations 2015.

#### 15.2. Chemical safety assessment

Nο

#### **SECTION 16: Other information**

# Full text of H-phrases as mentioned in section 3

H200 - Unstable explosives.

H201 - Explosive; mass explosion hazard.

H300 - Fatal if swallowed.

H301 - Toxic if swallowed.

H310 - Fatal in contact with skin.

H330 - Fatal if inhaled.

H370 - Causes damage to organs¤.

H373 - May cause damage to organs through prolonged or repeated exposure¤.

#### The full text of identified uses as mentioned in section 1

#### **Additional label elements**

Not applicable

#### **Other**

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of physical hazards has been based on experimental data.

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

#### The safety data sheet is validated by

Thomas Lagerström

Date of last essential change (First cipher in SDS version)

Date of last minor change (Last cipher in SDS version)

© 2017 Orica Group. All rights reserved. All information contained in this document is provided for informational purposes only and is subject to change without notice. Since the Orica Group cannot anticipate or control the conditions under which this information and its products may be used, each user should review the information in the specific context of the intended application. To the maximum extent permitted by law, the Orica Group specifically disclaims all warranties express or implied in law, including accuracy, non infringement, and implied warranties of merchantability or fitness for a particular purpose. The Orica Group specifically disclaims, and will not be responsible for, any liability or damages resulting from the use or reliance upon the information in this document. The word Orica and the Ring device are trademarks of the Orica Group.

ALPHAOMEGA. Licens nr.:3430265543, 6.4.0.10 www.chymeia.com